

"ഭരണഭാഷ- മാതൃഭാഷ"



കേരള സർക്കാർ

സംഗ്രഹം

അധിക വിഭവ സമാഹരണം- നികുതിയേതര വരുമാന വർദ്ധനവിനുള്ള ഉത്തരവുകൾ പുറപ്പെടുവിക്കുന്നതിന്റെ ഭാഗമായി ക്ഷീരവികസന വകുപ്പിലെ റീജിയണൽ ഡയറി ലാബുകളിലെ പരിശോധന ഫീസ് വർദ്ധിപ്പിക്കുന്നതിന് അനുമതി നൽകി ഉത്തരവ് പുറപ്പെടുവിക്കുന്നു.

ക്ഷീരവികസന വകുപ്പ്

സ.ഉ.(സാധാ) നം.109/2024/DD തീയതി,തിരുവനന്തപുരം, 27-07-2024

- പരാമർശം:-
1. 17.07.2024 തീയതിയിലെ സ.ഉ(സാ.ധാ)നം.55/2024/ധന നമ്പർ ഉത്തരവ്
 2. 20.07.2024 തീയതിയിലെ ക്ഷീരവികസന വകുപ്പ് ഡയറക്ടറുടെ DDDKER/2603/2024-D3 നമ്പർ കത്ത്
 3. 25.07.2024 തീയതിയിലെ ക്ഷീരവികസന വകുപ്പ് ഡയറക്ടറുടെ DDDKER/10156/2020-TC നമ്പർ കത്ത്

ഉത്തരവ്

1. സംസ്ഥാനത്തിന്റെ നിലവിലെ അടിയന്തര സാമ്പത്തിക ആവശ്യകത പരിഗണിച്ച് ഓരോ വകുപ്പിലേയും നികുതിയേതര വരുമാനം വർദ്ധിപ്പിക്കുന്നതിനായി വിവിധ ഫീസുകൾ/ഫൈനുകൾ/സർവ്വീസ് ചാർജ്ജുകൾ എന്നിവ കാലാനുസൃതമായി വർദ്ധനവ് വരുത്താൻ അതാത് വകുപ്പിനെ ചുമതലപ്പെടുത്തിക്കൊണ്ട് പരാമർശം (1) പ്രകാരം ഉത്തരവായിരുന്നു.

2. പരാമർശം (1) ഉത്തരവ് പ്രകാരം ക്ഷീരവികസന വകുപ്പിലെ റീജിയണൽ ഡയറി ലാബുകളിൽ നടത്തുന്ന പരിശോധനകളുടെ ഫീസ് സംബന്ധിച്ച് ഡയറക്ടർ പരാമർശം (2), (3) പ്രകാരം പ്രൊപ്പോസൽ ലഭ്യമാക്കിയിരുന്നു.

3. സർക്കാർ പരാമർശം (3) പ്രൊപ്പോസൽ വിശദമായി പരിശോധിച്ചതിന്റെ അടിസ്ഥാനത്തിൽ ക്ഷീരവികസന വകുപ്പിലെ റീജിയണൽ ഡയറി ലാബുകളിലെ പരിശോധന സംബന്ധിച്ച് അനുബന്ധമായി ചേർത്തിട്ടുള്ള പരിശോധന ഫീസ് ചുമത്തുന്നതിന് അനുമതി നൽകി ഉത്തരവാകുന്നു.

(ഗവർണ്ണറുടെ ഉത്തരവിൻ പ്രകാരം)

ഷീബു.എ.റ്റി

അഡീഷണൽ സെക്രട്ടറി

പകർപ്പ്

ഡയറക്ടർ, ക്ഷീരവികസന വകുപ്പ്, തിരുവനന്തപുരം
 ധനകാര്യ (റവന്യൂ മോണിറ്ററിംഗ് സെൽ) വകുപ്പ്
 പ്രിൻസിപ്പൽ അക്കൗണ്ടന്റ് ജനറൽ (ഓഡിറ്റ്), കേരള, തിരുവനന്തപുരം
 അക്കൗണ്ടന്റ് ജനറൽ (എ&ഇ), കേരള, തിരുവനന്തപുരം
 കരുതൽ ഫയൽ/ഓഫീസ് കോപ്പി

ഉത്തരവിൻ പ്രകാരം

Signed by

Moly Vijaya C S

Date: 29-07-2024 11:43:14

ഡയറക്ടർ, ക്ഷീരവികസന വകുപ്പ്

CHEMISTRY

Regional Dairy Laborotories

Sl.No	Product	Name of Test	Testing Cost (Rs)	Service Charge (Rs)	Total Cost Chargeable (Rs)	Proposed Fees (Rs)
1	Drinking / packaged/mineral Water	Colour	60	75	135	135
2	"	Turbidity	50	75	125	125
3	"	pH	25	75	100	100
4	"	TDS	25	75	100	100
5	"	Hardness	20	75	95	95
6	"	Sulphates	60	75	135	135
7	"	Chlorides	80	75	155	155
8	"	Flurides (UV Spectro	80	75	155	155
9	"	Total alkalinity	50	75	125	125
10	"	Nitrate(UV Spectro photometer))	125	75	200	200
11	"	Available chlorine	10	75	85	85
12	"	Ammonia	50	75	125	125
13	ETP water	BOD	160	75	235	235
14	"	COD	200	75	275	275
15	"	Oil & Grease	30	75	105	105
16	"	Available chlorine	10	75	85	85

Sl.No	Product	Name of Test	Testing Cost (Rs)	Service Charge (Rs)	Total Cost Chargeable (Rs)	Proposed Fees (Rs)
17	"	pH	25	75	100	100
18	"	TDS/TSS/TS	50	75	125	125
19	Milk	Fat, SNF	25	75	100	100
20	"	Acidity	5	75	80	80
21	"	Total solids	25	75	100	100
22	"	Sugar	25	75	100	100
23	"	Starch	25	75	100	100
24	"	Urea/synthetic milk	50	75	125	125
25	"	Glucose	25	75	100	100
26	"	Maltodextrin	25	75	100	100
27	"	Formaldehyde	20	75	95	95
28	"	Hydrogen Peroxide	15	75	90	90
29	"	Boric acid	20	75	95	95
30	"	Neutralizers/detergents	25	75	100	100
31	"	Antibiotics Kit method (BTS)	130	75	205	205
32	"	Aflatoxin MI Kit method	130	75	205	205
33	Milk products	Protein	75	75	150	150
34	"	Acidity	5	75	80	80

Sl.No	Product	Name of Test	Testing Cost (Rs)	Service Charge (Rs)	Total Cost Chargeable (Rs)	Proposed Fees (Rs)
35	"	Fat (Mojonier method)	100	75	175	175
36	Ice cream	Weight/Litre	25	75	100	100
37	"	Sucrose	25	75	100	100
38	Butter	Total Solids	25	75	100	100
39	"	Curd content	75	75	150	150
40	"	Salt	80	75	155	155
41	Milk Powder	Insolubility index	10	75	85	85
42	"	Ash	25	75	100	100
43	Ghee/Oil	Moisture	25	75	100	100
44	"	FFA	30	75	105	105
45	"	RM & PV Value	190	75	265	265
46	"	BR Reading	10	75	85	85
47	"	Baudoine Test	10	75	85	85

NOTE

40 % discount offered for * Domestic samples

40 % Discount for DCS For Aflatoxin only

* Domestic - Household samples

MICROBIOLOGY

REGIONAL DAIRY LABORATORIES

Sl. No	Sample	Test	Testing Medium Cost (Rs)	Service Charge (Rs)	Total Cost Chargeable (Rs)	Proposed Fees (Rs)
1	Milk & Milk products	S.P.C	150	75	225	225
2	Milk & Milk products	Total Coliform Count	150	75	225	225
3	Milk & Milk products	E.Coli	150	75	225	225
4	Milk & Milk products	MBRT	25	75	100	100
5	Milk & Milk products	Listera Monocytogenes	300	75	375	375
6	Milk & Milk products	Salmonella	300	75	375	375
7	Milk & Milk products	Staphylococcus aureus	150	75	225	225
8	Milk & Milk products	Yeast & Mold	150	75	225	225
9	Milk & Milk products	Bacillus cereus	150	75	225	225
10	Water	Salmonella	300	75	375	375
11	Water	Pseudomans	300	75	375	375
12	Water	Clostridium	300	75	375	375
13	Water	Aerobic Plate Count	150	75	225	225
14	Water	Total Coliforms & E Coli (MF Method)	400	75	475	475

Sl. No	Sample	Test	Testing Medium Cost (Rs)	Service Charge (Rs)	Total Cost Chargeable (Rs)	Proposed Fees (Rs)
15	Water	Total Coliforms, TTC, E Coli MPN Method	350	75	425	425
16	Water	Shigella	350	75	425	425
17	Water	Vibrio cholerae	350	75	425	425
18	Water	Enterococci (faecal streptococci)	100	75	175	175
19	Water	Staphylococcus aureus	150	75	225	225
20	Water	Yeast & Mold	150	75	225	225

NOTE

40 % discount offered for * Domestic samples

* Domestic - Household samples

CALIBRATION OF GLASSWARES

Sl.No	Glassware	Testing Medium Cost including standard reference instrument (Rs)	Service Charge (Rs)	Total Cost Chargeable (Rs)	Proposed Fees (Rs)
1	Lactometer	180	150	330	330
2	Butyrometer	100	150	250	250
3	Thermometer	100	150	250	250
4	Pipette	100	150	250	250